



McLean County Area EMS System

705 N East Street
Bloomington, IL 61701

Phone: (309) 827-4348
Fax: (309) 827-2017

Title of Policy: <i>Patient Restraints</i>	Policy Number: S-100
Effective Date: 10/2004	Review Date: 10/27/2016
Policy Area: Safety	Approvals: EMSSC, EMS MD

Background to Policy:

1. The use of patient restraints should be held to a minimum and only used as a last resort to transport a patient who exhibits physical resistance to transport or violence towards EMS personnel. The purpose of restraints is not to arrest, but to protect the patient and others from his or her irrationality.

Policy Statement:

1. To assure appropriate use of patient restraints in the pre-hospital setting.

Policy:

- a. The use of restraints is determined by the physical resistance to transport or violence towards EMS personnel by a patient who meets the criteria for implied consent and intentionally or unintentionally physically injures himself/herself or others.
- b. Whenever possible, Medical Control is contacted for guidance and concurrence in determining the need for restraints. Unless patients possess an immediate threat to themselves or other persons, Medical Control should be contacted prior to the restraint.
- c. Attempt voluntary application of restraints.
- d. Notify the local law enforcement to respond.
- e. If voluntary restraint is not possible, assemble adequate personnel. Ideally, this should include one person for each of the patient's limbs.
- f. For Involuntary Restraint, do not spend much time bargaining with the patient. If the patient does not respond in a brief time to the request for voluntary restraint, then move quickly to apply involuntary restraint. Indecisiveness may agitate the patient even further.
- g. EMS Personnel shall use all the force reasonably required to restrain the patient for the safety of all involved individuals. "Reasonable force" depends on the degree of resistance on part of the patient. The force of restraint must equal the degree of combativeness. Legal claims of excessive force may be made for restraint beyond what is necessary.
- h. Once the patient is on the stretcher, begin application of restraints. The patient should be gently grasped and placed on his/her back. In addition to four extremity restraints, the cot's five straps (over-the-shoulder, chest, hips and legs) should be applied.
- i. The gender of the pre-hospital personnel present when restraints are being applied should be considered in relation to the patient's problem (i.e., it is better to have same gender EMS crewmember present when a patient is out of control and needs restraint).
- j. After application of restraints, the patient must at no time be left alone. Someone must be assigned to talk with the patient about the patient's feelings and explain the purpose of the restraints.
- k. Restraints must periodically be checked for proper application (i.e., adequate circulation to limbs,



McLean County Area EMS System

705 N East Street
Bloomington, IL 61701

Phone: (309) 827-4348
Fax: (309) 827-2017

with documentation in the Patient Care Report that these periodic checks were conducted at least every five minutes).

- I. A patient under arrest by a law enforcement agency must first be restrained with hand-cuffs. Restraint and/or transport of a patient to a hospital by EMS personnel who is under arrest but has not been restrained initially with hand-cuffs by law enforcement ARE NOT TO BE RESTRAINED

AND/OR TRANSPORTED BY EMS PERSONNEL until hand-cuffs have been applied. The application of hand-cuffs must not interfere with patient care. If a patient has hand-cuffs applied then law enforcement must accompany patient in the back of the ambulance.

- m. Documentation Requirements

- i. Indication for using restraints (i.e., presence of self-destructive behavior, danger to others, meets criteria for implied consent, under arrest by law enforcement).
- ii. Prior attempts at less restrictive alternatives (i.e., verbal communication).
- iii. Periodic checks for proper application.

- n. Avoiding Injury

- i. Keep at a safe distance whenever possible.
- ii. Expect the unexpected.
- iii. Never turn your back to the patient.
- iv. Watch out for the patient's head; the patient can and will bite.
- v. Remove any sharp objects from the patient's immediate environment.
- vi. Never restrain a patient face down.
- vii. Never restrain the legs to the arms.
- viii. Assess for digital circulation every five minutes after restraint application.